Operating Systems (Fall/Winter 2018)



Operating System Services & Structures

Yajin Zhou (http://yajin.org)

Zhejiang University


1891 1891 1891

Review

- Four components of a computer system
- Computer system organization: interrupt, storage, I/O
- Computer system architecture: single processor -> multiple processors -> multiple cores -> hyper Threading, NUMA ...
- · OS operations: multiprogramming, multitasking, dual mode operation
- OS resources management: process management, memory management, file system, storage management, I/O system management
- Protection and security



A View of Operating System Services



Operating System Services (User/Programmer-Visible)

User interface

- most operating systems have a user interface (UI).
- · e.g., command-Line (CLI), graphics user interface (GUI), or batch

Program execution: from program to process

- load and execute an program in the memory
- end execution, either normally or abnormally

· I/O operations

a running program may require I/O such as file or I/O device

File-system manipulation

- read, write, create and delete files and directories
- search or list files and directories
- permission management

```
13 root 20 0 0 0 0 S 0.0 0.0 0:00.00 cpuhp/1
14 root rt 0 0 0 0 S 0.0 0.0 0:00.13 watchdog/1
15 root rt 0 0 0 0 S 0.0 0.0 0:00.01 migration/1
16 root 20 0 0 0 0 S 0.0 0.0 0:00.11 ksoftirqd/1
18 root 0 -20 0 0 0 S 0.0 0.0 0:00.00 kworker/1:+
19 root 20 0 0 0 S 0.0 0.0 0:00.00 kdevtmpfs
20 root 0 -20 0 0 S 0.0 0.0 0:00.00 kdevtmpfs
20 root 0 -20 0 0 S 0.0 0.0 0:00.00 retrs

oseos:-$
```



Operating System Services (User-Visible)

Communications

- processes exchange information, on the same system or over a network
- via shared memory or through message passing

Error detection

- OS needs to be constantly aware of possible errors
- errors in CPU, memory, I/O devices, programs
- it should take appropriate actions to ensure correctness and consistency

A problem has been detected and windows has been shut down to prevent dam to your computer.

If this is the first time you've seen this Stop error screen, restart your computer. If this screen appears again, follow these steps:

Check to be sure you have adequate disk space. If a driver is identified in the Stop message, disable the driver or check with the manufacturer for driver updates. Try changing video adapters.

Check with your hardware vendor for any BIOS updates. Disable BIOS memory options such as caching or shadowing. If you need to use Safe Mode to remove or disable components, restart your computer, press F8 to select Advanced Startup options, and then select Safe Mode.

Technical information:

*** STOP: 0x0000008E (0xC0000005,0xB6D64846,0xB69C9040,0x00000000)



Operating System Services (System View)

Resource allocation

- allocate resources for multiple users or multiple jobs running concurrently
- · many types of resources: CPU, memory, file, I/O devices

· Accounting/Logging

• to keep track of which users use how much and what kinds of resources Tasks: 98 total, 1 running, 97 sleeping, 0 stopped, 0 zombie

Protection and security

- protection provides a mechanism to control access to system resources
 - access control: control access to resources
 - isolation: processes should not interfere with each other
- security authenticates users and prevent invalid access to I/O devices
 - a chain is only as strong as its weakest link
- protection is the mechanism, security towards the policy

top - 01:25:31 up 14:16, 3 users, load average: 0.00, 0.00, 0.00
Tasks: 98 total, 1 running, 97 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.2 us, 0.0 sy, 0.0 ni, 99.8 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
KiB Mem: 1003772 total, 217452 free, 69248 used, 717072 buff/cache
KiB Swap: 1046524 total, 1046012 free, 512 used. 749832 avail Mem

						2115		A(0.7) (A(1.4=1.4		20111111
PID	USER	PR	ΝI	VIRT	RES	SHR		%CPU	%MEM	TIME+	COMMAND
26713	root	20	0	0	0	0	S	0.3	0.0	0:00.01	kworker/u6+
1	root	20	0	119600	5076	3336	S	0.0	0.5	0:03.39	systemd
2	root	20	0	0	0	0	S	0.0	0.0	0:00.01	kthreadd
4	root	0	-20	0	0	0	S	0.0	0.0	0:00.00	kworker/0:+
6	root	0	-20	0	0	0	S	0.0	0.0	0:00.00	mm_percpu_+
7	root	20	0	0	0	0	S	0.0	0.0	0:00.04	ksoftirqd/0
8	root	20	0	0	0	0	S	0.0	0.0	0:01.02	rcu_sched
9	root	20	0	0	0	0	S	0.0	0.0	0:00.00	rcu_bh
10	root	rt	0	0	0	0	S	0.0	0.0	0:00.01	migration/0
11	root	rt	0	0	0	0	S	0.0	0.0	0:00.13	watchdog/0
12	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/0
13	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/1
14	root	rt	0	0	0	0	S	0.0	0.0	0:00.13	watchdog/1
15	root	rt	0	0	0	0	S	0.0	0.0	0:00.01	migration/1
16	root	20	0	0	0	0	S	0.0	0.0	0:00.11	ksoftirqd/1
18	root	0	-20	0	0	0	S	0.0	0.0	0:00.00	kworker/1:+
19	root	20	0	0	0	0	S	0.0	0.0	0:00.00	kdevtmpfs
20	root	0	-20	0	0	0	S	0 0	0 0	0.00 00	netns



User Operating System Interface - CLI

- CLI (or command interpreter) allows direct command entry
 - a loop between fetching a command from user and executing it
- Commands are either built-in or just names of programs
 - itself contains the code to execute the command
 - implements most commands through system programs
 - · if the latter, adding new features doesn't require shell modification



User Operating System Interface - GUI

- User-friendly desktop metaphor interface
 - users use mouse, keyboard, and monitor to interactive with the system
 - · icons represent files, programs, actions, etc
 - mouse buttons over objects in the interface cause various actions
 - · open file or directory (aka. folder), execute program, list attributes
 - invented at Xerox PARC
- Many systems include both CLI and GUI interfaces
 - Microsoft Windows is GUI with CLI "command" shell
 - Apple Mac OS X as "Aqua" GUI
 - Solaris is CLI with optional GUI interfaces (Java Desktop, KDE)
 - Linux: GNOME/KLDE GUI, and shell




Bourne Shell Command Interpreter

```
Terminal
File Edit View Terminal Tabs Help
fd0
         0.0
                0.0
                       0.0
                              0.0 0.0 0.0
                                               0.0
                0.2
         0.0
                       0.0
                              0.2 0.0 0.0
                                               0.4
sd0
         0.0
                0.0
                       0.0
                              0.0 0.0 0.0
                                               0.0
sd1
                extended device statistics
device
         r/s
                W/S
                      kr/s
                             kw/s wait actv svc_t
fd0
         0.0
                0.0
                      0.0
                              0.0 0.0 0.0
sd0
         0.6
                0.0
                      38.4
                              0.0 0.0 0.0
                                               8.2
sd1
         0.0
                0.0
                       0.0
                              0.0 0.0 0.0
                                               0.0
(root@pbg-nv64-vm)-(11/pts)-(00:53 15-Jun-2007)-(global)
-(/var/tmp/system-contents/scripts)# swap -sh
total: 1.1G allocated + 190M reserved = 1.3G used, 1.6G available
(root@pbg-nv64-vm)-(12/pts)-(00:53 15-Jun-2007)-(global)
-(/var/tmp/system-contents/scripts)# uptime
12:53am up 9 min(s), 3 users, load average: 33.29, 67.68, 36.81
(root@pbg-nv64-vm)-(13/pts)-(00:53 15-Jun-2007)-(global)
-(/var/tmp/system-contents/scripts)# w
 4:07pm up 17 day(s), 15:24, 3 users, load average: 0.09, 0.11, 8.66
                      login@ idle
User
                                    JCPU
                                           PCPU what
        tty
                     15Jun0718days
                                                 /usr/bin/ssh-agent -- /usr/bi
        console
                                       1
root
n/d
        pts/3
                     15Jun07
                                       18
root
        pts/4
                     15Jun0718days
root
(root@pbg-nv64-vm)-(14/pts)-(16:07 02-Ju1-2007)-(global)
-(/var/tmp/system-contents/scripts)#
```



The Mac OS X GUI





Touchscreen Interfaces

- Touchscreen devices require new interfaces
 - Mouse not possible or not desired
 - Actions and selection based on gestures
 - Virtual keyboard for text entry
 - Security issues: clickjacking





Voice Commands



Voice commands

- Security issues: users' voices can be recorded, manipulated, and replayed to the assistants
- Privacy issues

Some also called for more concrete evidence on the accusation, which has yet to be offered. Another focus of the issue is that the Alipay app is frequently requesting access to the <u>smartphone's camera and microphone even when it's idle.</u> Less critical comments said that even if Alipay didn't violate user-privacy by sneaking photos, it may occupy more storage and eventually ruin Android users' experiences.






System Calls

- System call is a programming interface to access the OS services
 - Typically written in a high-level language (C or C++)
 - Certain low level tasks are in assembly languages



Example of System Calls

cp in.txt out.txt





Application Programming Interface

- Mostly accessed by programs via a high-level Application
 Programming Interface (API) rather than direct system call use
 - three most common APIs:
 - Win32 API for Windows
 - POSIX API for POSIX-based systems (UNIX/Linux, Mac OS X)
 - Java API for the Java virtual machine (JVM)
 - why use APIs rather than system calls?
 - portability



Example of Standard API

EXAMPLE OF STANDARD API

As an example of a standard API, consider the read() function that is available in UNIX and Linux systems. The API for this function is obtained from the man page by invoking the command

man read

on the command line. A description of this API appears below:

```
#include <unistd.h>
ssize_t read(int fd, void *buf, size_t count)

return function parameters
value name
```

A program that uses the read() function must include the unistd.h header file, as this file defines the ssize_t and size_t data types (among other things). The parameters passed to read() are as follows:

- int fd—the file descriptor to be read
- void *buf —a buffer where the data will be read into
- size_t count—the maximum number of bytes to be read into the buffer

On a successful read, the number of bytes read is returned. A return value of 0 indicates end of file. If an error occurs, read() returns -1.



System Calls Implementation

- Typically, a number is associated with each system call
 - system-call interface maintains a table indexed by these numbers
 - e.g., Linux has around 340 system call (x86: 349, arm: 345)




System Calls Implementation

- Kernel invokes intended system call and returns results
- User program needs to know nothing about syscall details
 - it just needs to use API (e.g., in libc) and understand what the API will do
 - most details of OS interface hidden from programmers by the API




API – System Call – OS Relationship





Standard C Library Example

C program invoking printf() library call, which calls write() system call





System Call Parameter Passing

- Parameters are required besides the system call number
 - exact type and amount of information vary according to OS and call
- Three general methods to pass parameters to the OS

· Register:

- pass the parameters in registers
- · simple, but there may be more parameters than registers

· Block:


- parameters stored in a memory block (or table)
- address of the block passed as a parameter in a register
- taken by Linux and Solaris

Stack:

- parameters placed, or pushed, onto the stack by the program
- popped off the stack by the operating system
- Block and stack methods don't limit number of parameters being passed



Parameter Passing via Block/Table





Execve System Call on Linux/x86

- Store syscall number in eax
- Save arg 1 in ebx, arg 2 in ecx, arg 3 in edx
- Execute int 0x80 (or sysenter)
- Syscall runs and returns the result in eax

execve ("/bin/sh", 0, 0)

eax: 0x0b

ebx: addr of "/bin/sh"

ecx: 0



Execve System Call on Linux/ARM

```
int execv(const char* name, char* const* argv) {
   return execve(name, argv, environ);
  ENTRY(execve)
     mov ip, r7
     Idr r7, =__NR_execve
     swi #0
     mov r7, ip
     cmn r0, #(MAX_ERRNO + 1)
     bxls lr
     neg r0, r0
         __set_errno
  END(execve)
#define __NR_OABI_SYSCALL_BASE 0x900000
```

THE UNIVERSITY OF THE PROPERTY OF THE PROPERTY

- Process control
 - create process, terminate process
 - end, abort
 - load, execute
 - get process attributes, set process attributes
 - wait for time
 - wait event, signal event
 - allocate and free memory
 - Dump memory if error
 - Debugger for determining bugs, single step execution
 - · Locks for managing access to shared data between processes



- File management
 - · create file, delete file
 - · open, close file
 - read, write, reposition
 - get and set file attributes
- Device management
 - request device, release device
 - read, write, reposition
 - get device attributes, set device attributes
 - logically attach or detach devices
 - · can be combined with file management system call



- Information maintenance
 - get time or date, set time or date
 - · get system data, set system data
 - get and set process, file, or device attributes
- Communications
 - · create, delete communication connection
 - send, receive messages: message passing model to host name or process name
 - From client to server
 - · Shared-memory model create and gain access to memory regions
 - transfer status information
 - attach and detach remote devices



- Protection
 - Control access to resources
 - Get and set permissions
 - Allow and deny user access



Case Study: ioctl

RETURN VALUE

```
NAME
      ioctl - control device
SYNOPSIS
      #include <sys/ioctl.h>
      int ioctl(int fd, unsigned long request, ...);
DESCRIPTION
      The ioctl() system call manipulates the underlying device parameters
      of special files. In particular, many operating characteristics of
      character special files (e.g., terminals) may be controlled with
      ioctl() requests. The argument fd must be an open file descriptor.
      The second argument is a device-dependent request code. The third
       argument is an untyped pointer to memory. It's traditionally char
       *argp (from the days before void * was valid C), and will be so named
      for this discussion.
      An ioctl() request has encoded in it whether the argument is an in
      parameter or out parameter, and the size of the argument argp in
      bytes. Macros and defines used in specifying an ioctl() request are
      located in the file <sys/ioctl.h>.
```

Usually, on success zero is returned. A few **ioctl**() requests use the return value as an output parameter and return a nonnegative value on success. On error, -1 is returned, and *errno* is set appropriately.

1891 RES

Case Study: ioctl

calls minimize the complexity of the kernel's system call interface. However, by providing a place for developers to "stash" bits and pieces of kernel programming interfaces, ioctl calls complicate the overall user-to-kernel API. A kernel that provides several hundred system calls may provide several thousand joctl calls.

Though the interface to ioctl calls appears somewhat different from conventional system calls, there is in practice little difference between an ioctl call and a system call; an ioctl call is simply a system call with a different dispatching mechanism. Many of the arguments against expanding the kernel system call interface could therefore be applied to ioctl interfaces.

Security [edit]

The user-to-kernel interfaces of mainstream operating systems are often audited heavily for code flaws and security vulnerabilities prior to release. These audits typically focus on the well-documented system call interfaces; for instance, auditors might ensure that sensitive security calls such as changing user IDs are only available to administrative users.

ioctl interfaces are more complicated, more diverse, and thus harder to audit than system calls. Furthermore, because ioctl calls can be provided by third-party developers, often after the core operating system has been released, ioctl call implementations may receive less scrutiny and thus harbor more vulnerabilities. Finally, many ioctl calls, particularly for third-party device drivers, are undocumented.



Windows and Unix System Calls

	Windows	Unix
Process Control	<pre>CreateProcess() ExitProcess() WaitForSingleObject()</pre>	<pre>fork() exit() wait()</pre>
File Manipulation	<pre>CreateFile() ReadFile() WriteFile() CloseHandle()</pre>	open() read() write() close()
Device Manipulation	SetConsoleMode() ReadConsole() WriteConsole()	ioctl() read() write()
Information Maintenance	<pre>GetCurrentProcessID() SetTimer() Sleep()</pre>	<pre>getpid() alarm() sleep()</pre>
Communication	<pre>CreatePipe() CreateFileMapping() MapViewOfFile()</pre>	<pre>pipe() shmget() mmap()</pre>
Protection	<pre>SetFileSecurity() InitlializeSecurityDescriptor() SetSecurityDescriptorGroup()</pre>	<pre>chmod() umask() chown()</pre>



Example: MS-DOS

- Single-tasking
- Shell invoked when system booted
- Simple method to run program
 - no process created
 - single memory space
 - loads program into memory, overwriting all but the kernel
 - program exit -> shell reloaded





at system startup

running a program

free memory

free memory

command interpreter

kernel

process

command interpreter

kernel

(b)

(a)



Example: FreeBSD

- A variant of Unix, it supports multitasking
- Upon user login, the OS invokes user's choice of shell
- Shell executes fork() system call to create process, then calls exec() to load program into process
 - shell waits for process to terminate or continues with user commands
- Process exits with:
 - code = 0 no error
 - code > 0 error code

process D

free memory

process C


interpreter

process B

kernel



System Services (Programs)





System Services

- System programs provide a convenient environment for program development and execution. They can be divided into:
 - File manipulation
 - create/delete/copy files/directories
 - Status information sometimes stored in a file modification

```
os@os:~$ df -lh
                     Used Avail Use% Mounted on
Filesystem
                Size
udev
                465M
                            465M
                                    0% /dev
tmpfs
                 99M
                     8.4M
                             90M
                                   9% /run
                 62G 4.2G
/dev/sda1
                             55G
                                   8% /
tmpfs
                491M
                         0
                            491M
                                   0% /dev/shm
tmpfs
                5.0M 4.0K 5.0M
                                   1% /run/lock
                                   0% /sys/fs/cgroup
                            491M
tmpfs
                491M
tmpfs
                 99M
                             99M
                                   0% /run/user/1000
os@os:~$ free -lh
              total
                           used
                                        free
                                                  shared
                                                          buff/cache
                                                                        available
Mem:
               980M
                            63M
                                        220M
                                                    8.0M
                                                                695M
                                                                             737M
               980M
                           759M
                                        220M
Low:
High:
                 0B
                             0B
                                          0B
               1.0G
                           512K
                                        1.0G
Swap:
```



System Services

- Programming language support
 - c/python/Java ...
- Program loading and execution
- Communications
 - between processes, hosts and etc.
- Background services
 - services, daemon, sub-system
- Application programs

```
Os@os:~$ cat /etc/crontab

# /etc/crontab: system-wide crontab

# Unlike any other crontab you don't have to run the `crontab'

# command to install the new version when you edit this file

# and files in /etc/cron.d. These files also have username fields,

# that none of the other crontabs do.

SHELL=/bin/sh
PATH=/usr/local/sbin:/usr/local/bin:/sbin:/usr/sbin:/usr/bin

# m h dom mon dow user command

17 * * * * root cd / && run-parts --report /etc/cron.hourly

25 6 * * * root test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.daily )

47 6 * * 7 root test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.weekly )
```

test -x /usr/sbin/anacron || (cd / && run-parts --report /etc/cron.monthly)

os@os:~\$ python

Hello World!

>>>

Python 2.7.12 (default, Dec 4 2017, 14:50:18)

Type "help", "copyright", "credits" or "license" for more information.

[GCC 5.4.0 20160609] on linux2

>>> print "Hello World!"



Review


- Operating system services
 - User interface, program execution, I/O, file system manipulation...
 - Resource allocation, Logging/accounting, Protection & Security
- System call
 - User program API system call OS
 - System call implementation: parameter passing
 - Types of System call

HW1 is due on Saturday!

Linkers & Loaders



- linker
 - from object files to executable file
- loader
 - from program to process
 - static linking vs dynamic linking
 - lazy binding





Linkers & Loaders

```
#include <stdio.h>


extern int f (int x);
int i = 2;
char format[] = "f (%d) = %d\n";

int main (int argc, char const *argv[])
{
   int j;
   j = f (i);
   printf (format, i, j);
   return 0;
}
```

```
int f (int x)
{
   if (x <= 1) return x;
   return x - 1;
}</pre>
```



Linkers & Loaders





Static Linking

```
00000000 <main>:
                  push {r4, lr}
 0: e92d4010
 4: e59f4024 ldr r4, [pc, #36]
                                 ; 30 < main + 0x30 >
 8: e79f4004 ldr
                  r4, [pc, r4]
 c: e5940000
                   Idr r0, [r4]
                 0 <f>
 10: ebfffffe
                 r3, [pc, #24]
 14: e59f3018 ldr
                                ; 34 <main+0x34>
                  mov r2, r0
 18: e1a02000
 1c: e5941000
                   ldr r1, [r4]
                  r0, [pc, r3]
 20: e79f0003 ldr
 24: ebffffe bl
                  0 <printf>
                   mov r0, #0
 28: e3a00000
 2c: e8bd8010
                   pop {r4, pc}
 30: 00000020
                .word
                            0x00000020
 34: 0000000c
                            0x0000000c
                   .word
```

f.o

main.o

```
-> Is -Ih libs/armeabi/main
-rwxr-xr-x 1 yajin staff 146K Sep 27 18:53 libs/armeabi/main
```

Parameters are passed using register r0- r3, return value is in register r0.



Static Linking

```
0000885c <main>:
  885c:
             e92d4010
                                {r4, lr}
                          push
  8860:
             e59f4024
                                 r4, [pc, #36]; 888c <main+0x30>
  8864:
             e79f4004
                                 r4, [pc, r4]
  8868:
             e5940000
                                 r0, [r4]
                          ldr
  886c:
             eb000067
                                 8a10 <f>
                                 r3, [pc, #24]; 8890 < main + 0x34 >
  8870:
             e59f3018
                          ldr
  8874:
             e1a02000
                                 r2, r0
                          mov
  8878:
             e5941000
                                r1, [r4]
                          ldr
  887c:
             e79f0003
                                 r0, [pc, r3]
                          ldr.
  8880:
             fa000a3e
                          blx
                                 b180 <printf>
  8884:
             e3a00000
                                 r0, #0
                          mov
  8888:
             e8bd8010
                                 {r4, pc}
                          pop
  888c:
             0002366c
                          .word 0x0002366c
             00023658
  8890:
                          .word 0x00023658
00008a10 <f>:
  8a10:
             e3500001
                                r0, #1
                          cmp
  8a14:
             c2400001
                          subgt r0, r0, #1
             e12fff1e
  8a18:
                                 lr
                          bx
```

```
0000b180 <printf>:
  b180:
             b40f
                           push {r0, r1, r2, r3}
  b182:
             b507
                           push {r0, r1, r2, lr}
  b184:
             aa04
                                  r2, sp, #16
                           add
  b186:
             4b08
                           ldr
                                  r3, [pc, #32]; (b1a8 < printf+0x28>)
  b188:
             f852 1b04
                           ldr.w r1, [r2], #4
  b18c:
             4807
                                  r0, [pc, #28]; (b1ac < printf+0x2c>)
                           ldr
  b18e:
             447b
                                  r3, pc
                           add
  b190:
             9201
                                  r2, [sp, #4]
                           str
  b192:
             581b
                                  r3, [r3, r0]
                           ldr
             f103 0054
                           add.w r0, r3, #84
  b194:
                                                ; 0x54
  b198:
             f001 fb1a
                                  c7d0 <vfprintf>
  b19c:
             b003
                                  sp, #12
                           add
  b19e:
             f85d eb04
                                  Ir, [sp], #4
                           ldr.w
             b004
                                  sp, #16
  b1a2:
                           add
             4770
  b1a4:
                                  lr
                           bx
             bf00
  b1a6:
                           nop
             00020e62
                           .word 0x00020e62
  b1a8:
             ffffff0c .word 0xffffff0c
  b1ac:
```

PC relative addressing so that the code can be loaded into arbitrary addresses in the memory.



Static Linking: in memory

Main	Main	Main
F	F	F
Printf	Printf	Printf



Dynamic Linking

```
00000000 <main>:
                   push {r3, r4, r5, lr}
 0: e92d4038
 4: e59f5024 ldr r5, [pc, #36] ; 30 <main+0x30>
 8: e08f5005 add r5, pc, r5
                   mov r4, r5
 c: e1a04005
                  Idr r0, [r4], #8
 10: e4940008
 14: ebfffffe bl
                   0 < f >
 18: e5951000
                   Idr r1, [r5]
                   mov r2, r0
 1c: e1a02000
 20: e1a00004
                   mov r0, r4
                   0 <printf>
 24: ebffffe bl
                   mov r0, #0
 28: e3a00000
                   pop {r3, r4, r5, pc}
 2c: e8bd8038
 30: 00000020
                            0x00000020
                   .word
```

```
00000000 <f>:
0: e3500001 cmp r0, #1
4: c2400001 subgt r0, r0, #1
8: e12fff1e bx lr
```

f.o

main.o

```
-> Is -Ih libs/armeabi/main
-rwxr-xr-x 1 yajin staff 9.4K Sep 27 19:09 libs/armeabi/main
```



Dynamic Linking

```
000004d0 <main>:
                          push {r3, r4, r5, lr}
   4d0:
             e92d4038
                                r5, [pc, #36] ; 500
  4d4:
             e59f5024
<main+0x30>
   4d8:
            e08f5005
                                r5, pc, r5
                          add
                                r4, r5
   4dc:
            e1a04005
                         mov
                                r0, [r4], #8
   4e0:
            e4940008
            eb000030
                                5ac <f>
   4e4:
   4e8:
            e5951000
                                r1, [r5]
                         mov r2, r0
   4ec:
             e1a02000
  4f0:e1a00004
                         r0, r4
                   mov
                                488 <printf@plt>
            ebffffe3
   4f4:
                          bl
  4f8:e3a00000
                   mov r0, #0
  4fc:e8bd8038
                         {r3, r4, r5, pc}
                   qoq
            00002b20
                          .word 0x00002b20
   500:
00000488 <printf@plt>:
488: e28fc600
                         ip, pc, #0
                   add
48c: e28cca02
                   add
                         ip, ip, #8192 ; 0x2000
490: e5bcfb58
                          pc, [ip, #2904]!
                   ldr
                                             : 0xb58
```

```
-> arm-linux-androideabi-readelf -S main
There are 36 section headers, starting at offset 0x9a08:

[19] .got PROGBITS 00002fa4 001fa4 00005c 00 WA 0 0 4

-> arm-linux-androideabi-objdump -R main

00002fe8 R_ARM_JUMP_SLOT printf
```

0x001e6c 0x00002e6c 0x00002e6c 0x00194 0x00194 RW 0x4

Location: (0x488 + 0x8) (PC) + 0x2000 + 0xb58 = 0x2fe8

Offset VirtAddr PhysAddr FileSiz MemSiz Flg Align

The real jump address is in the GOT section, which is readable and writable. The question is who is going to set the address (**0x2fe8**) to the real address of the function printf in libc? And who is responsible to load the correspond libraries into the memory?

Type

GNU RELRO

-> arm-linux-androideabi-readelf -l main

1891 RES


Loader

- When loading a binary
 - Load the PT_LOADED segments into memory
 - Resolve the library dependencies and load the corresponding libraries into memory
 - Set the value in the GOT entry to the actual address of the function in the libraries (not necessary) - since these processes are performed when the binary is loading, it may slow the binary loading process
- Static linking vs dynamic linking



Linkers & Loaders: x86/Lazy Binding


- In the code, a function func is called. The compiler translates it to a call to func@plt, which is some N-th entry in the PLT.
- The PLT consists of a special first entry, followed by a bunch of identically structured entries, one for each function needing resolution.
- Each PLT entry but the first consists of these parts:
 - A jump to a location which is specified in a corresponding GOT entry
 - Preparation of arguments for a "resolver" routine
 - Call to the resolver routine, which resides in the first entry of the PLT
- The first PLT entry is a call to a **resolver routine**, which is located in the dynamic loader itself. This routine resolves the actual address of the function.
- Before the function's actual address has been resolved, the Nth GOT entry just points to after the jump. This is why this arrow in the diagram is colored differently - it's not an actual jump, just a pointer.





Linkers & Loaders: Example


- PLT[n] is called and jumps to the address pointed to in GOT[n].
- This address points into PLT[n] itself, to the preparation of arguments for the resolver.
- The resolver is then called.
- The resolver performs resolution of the actual address of func, places its actual address into GOT[n] and calls func.





Linkers & Loaders: Example

- Note that GOT[n] now points to the actual func [7] instead of back into the PLT. So, when func is called again:
 - PLT[n] is called and jumps to the address pointed to in GOT[n].
 - GOT[n] points to func, so this just transfers control to func.





Q: The resolver is a program, then who is responsible for resolving the symbols in resolver (or is this needed for resolver)?

Further reading: https://eli.thegreenplace.net/2011/11/03/position-independent-code-pic-in-shared-libraries/












Why Applications Are OS Specific

- How
 - interpreted language
 - VM
 - only use standard APIs
- Still it is not a easy task
 - different binary format: ELF vs
 PE
 - different instruction set
 - different system call interfaces





WSL: Windows Subsystem for Linux

Operating System Structure



Operating System Design and Implementation

- Design and Implementation of OS not "solvable", but some approaches have proven successful
 - Internal structure of different Operating Systems can vary widely
 - Start by defining goals and specifications
 - Affected by choice of hardware, type of system

Worse is better, though it's sad (in some cases)

The good news is that in 1995 we will have a good operating system and programming language; the bad news is that they will be Unix and C++.



Worse Is Better Philosophy: Simple Is Better

- Simplicity-the design must be simple, both in implementation and interface.
 It is more important for the interface to be simple than the implementation.
- Correctness-the design must be correct in all observable aspects.
 Incorrectness is simply not allowed.
- Consistency-the design must not be inconsistent. A design is allowed to be slightly less simple and less complete to avoid inconsistency.
 Consistency is as important as correctness.
- Completeness-the design must cover as many important situations as is practical.
 All reasonably expected cases must be covered. Simplicity is not allowed to overly reduce completeness.

MIT/Stanford style of design

- Simplicity-the design must be simple, both in implementation and interface. It is more important for the implementation to be simple than the interface. Simplicity is the most important consideration in a design.
- Correctness-the design must be correct in all observable aspects. It is slightly better to be simple than correct.
- Consistency-the design must not be overly inconsistent.

 Consistency can be sacrificed for simplicity in some cases, but it is better to drop those parts of the design that deal with less common circumstances than to introduce either implementational complexity or inconsistency.
- Completeness-the design must cover as many important situations as is practical. All reasonably expected cases should be covered. Completeness can be sacrificed in favor of any other quality. In fact, completeness must sacrificed whenever implementation simplicity is jeopardized.
 Consistency can be sacrificed to achieve completeness if simplicity is retained; especially worthless is consistency of interface.

New Jersey approach



Operating System Design and Implementation

- Important principle: to separate mechanism and policy
 - mechanism: how to do it
 - policy: what/which will be done
- Mechanisms determine how to do something, policies decide what/which will be done
- The separation of policy from mechanism is a very important principle, it allows maximum flexibility if policy decisions are to be changed later (example – timer)

2 8 9 1 RES

Review

- Linking
- Loading
- Dynamic linking vs static linking

1891 ROS

Operating System Design and Implementation

- Much variation
 - Early OSes in assembly language
 - Then system programming languages like Algol, PL/1
 - Now C, C++
- Actually usually a mix of languages
 - Lowest levels in assembly
 - Main body in C
 - Systems programs in C, C++, scripting languages like PERL, Python, shell scripts
- More high-level language easier to port to other hardware
 - But slower



Operating System Structure


- Many structures:
 - simple structure MS-DOS
 - more complex -- UNIX
 - layered structure an abstraction
 - microkernel system structure L4
 - hybrid: Mach, Minix
 - research system: exokernel



Simple Structure: MS-DOS

- No structure at all!: (1981~1994)
 - written to provide the most functionality in the least space
- A typical example: MS-DOS
 - Has some structures:
 - its interfaces and levels of functionality are not well separated
 - the kernel is not divided into modules








Monolithic Structure - Original UNIX

- Limited by hardware functionality, the original UNIX had limited structure
- UNIX OS consists of two separable layers
 - systems programs
 - the kernel: everything below the system-call interface and above physical hardware
 - a large number of functions for one level: file systems, CPU scheduling, memory management ...




Traditional UNIX System Structure





Layered Approach

- The operating system is divided into a number of layers (levels)
 - each built on top of lower layers
 - The bottom layer (layer 0), is the hardware
 - the highest (layer N) is the user interface
- With modularity, layers are selected such that
 - each uses functions (operations) and services of only lower-level layers






Microkernel System Structure

- Microkernel moves as much from the kernel (e.g., file systems) into "user" space
- Communication between user modules uses message passing
- · Benefits:
 - easier to extend a microkernel
 - easier to port the operating system to new architectures
 - more reliable (less code is running in kernel mode)
 - more secure
- Detriments:
 - performance overhead of user space to kernel space communication
- Examples: Minix, Mach, QNX, L4...



Microkernel System Structure



1 891 RS


Modules

- Most modern operating systems implement kernel modules
 - uses object-oriented design pattern
 - each core component is separate, and has clearly defined interfaces
 - some are loadable as needed
- Overall, similar to layers but with more flexible
- Example: Linux, BSD, Solaris
 - http://www.makelinux.net/kernel_map/



Linux System Structure

Monolithic plus modular design



Linux kernel map functionalities human interface networking system processing storage memory layers processes memory access HI char devices sockets access interfaces core files & directories sys_fork user sys_brk access system files System Call Interface sys kill sys_vfork cdev add sys_socketcall sys_signal sys_execve sys_clone linux/syscalls.h sys socket space /proc /sysfs /dev do_sigaction sys_shmctl sys_connect sys_tee sys_poll sys_write linux/uaccess.h sys shmat sys_accept sys_pipe sys_select do_path_lookup sysfs_ops copy from use sys_bind /proc/net/ interfaces sys flock sys ready linux_binfmt sys_listen input fops sys_mprotect sys futex si meminfo tcp4_seq_show sys_getti snd fops sys ioctl sys_sendmsg sys_mincore sys recvms sg proc seg show de system calls /dev/mem console fops sys times sys setsockop and system files cdev_map sys_epoll_create fb_fops sys_reboot /proc/self/maps threads virtual memory Virtual File System protocol families **Device Model** vfs_fsync security queue work/ find_vma_prepare vfs getattr inet_family_ops security_capset may_open kobiect kset virtual inet_create inode vmalloc linux/device.h kthread create vfree kernel_thread security inode create device create proto_ops security ops file system type current inet_dgram_ops inet_stream_ops device_type super block socket_file_ops driver register debugging synchronization memory device driver page cache networking socket mapping address_space bdi_writeback_thread bridges sys ptrace log but splice storage probe sock_sendpage nfs_file_operations add_timer timer_list run_timer_softirq printk do mmap pgoff cross-functional modules load module tcp_sendpage kmem_cache_alloc module handle_sysrq kobject uevent init semaphore vma link swap info kswapd cifs_file_ops module_param kobject_uevent sock splice read mm struct do swap page iscsi tcp transport kernel_param vm_area_struct HI subsystems Scheduler logical protocols system run logical memory boot, shutdown file systems tcp prot logical task_struct alsa ext4 file operations schedule_timeout_ kmalloc schedule implementations ext4 get sb video device kfree kernel restart ext4 readdir run init process kernel_power_of ip_push_pending_frames mousedev handler ip route input alloc_skb machine ops ip_rcv sk_buff Page Allocator abstract devices generic HW access network interface interrupts core block devices and request irq **HID class drivers** free pages device request mem region jiffies_64++ do timer net_device control scsi device get_free_pages scsi driver kbd alloc_netdev_mq ieee80211_alloc_hv usb_submit_urb alloc pages fb_ops mousedev usb hcd drm_driver totalram_pages try_to_free_pages CPU specific HI peripherals device access physical memory disk controller network and bus drivers device drivers operations drivers device drivers hardware native init IRQ switch to interfaces ipw2100 pci init one atkbd_drv free area free list zd1201 probe drivers, registers and interrupts e1000 xmit frame i8042_driver usb hcd irg interrupt show_regs e1000_intr pci_read psmouse aic94xx init pt_regs atomic_t num_physpages do_page_fault user peripherals 1/O mem 1/O **CPU** disk controllers network controllers memory PCI electronics USB controller SATA DMA SCSI ACPL graphics card




Hybrid Systems

- Most modern operating systems are actually not one pure model
 - Hybrid combines multiple approaches to address performance, security, usability needs
 - Linux and Solaris kernels in kernel address space, so monolithic, plus modular for dynamic loading of functionality
 - Windows mostly monolithic, plus microkernel for different subsystem personalities
- Apple Mac OS X hybrid, layered, Aqua UI plus Cocoa programming environment
 - Below is kernel consisting of Mach microkernel and BSD Unix parts, plus
 I/O kit and dynamically loadable modules (called kernel extensions)



macOS and iOS Structure


- user experience: Aqua/Springboard user interface
- Application frameworks: Cocoa (Touch) provides API for Object C and Swift programing languages
- Core frameworks: defines frameworks that support graphics and media





Darwin: layered + microkernel + modules


- Two system-call interfaces: Mach(trap), BSD(POSIX)
- Mach provides basic OS services: MM, scheduling, IPC.
- These services are through tasks (Mach process), threads, memory objects and ports (used for IPC)
 - fork() in BSD -> kernel abstraction (task) in Mach



Kexts: kernel extensions



Layered Microkernel: Minix






Exokernel: Motivation

- In traditional operating systems, only privileged servers and the kernel can manage system resources
- Un-trusted applications are required to interact with the hardware via some abstraction model
 - File systems for disk storage, virtual address spaces for memory, etc.
- But application demands vary widely!!
 - An interface designed to accommodate every application must anticipate all possible needs




Exokernel: Motivation



Exokernel: application control

Application software can override OS






Exokernel: Motivation

- Give un-trusted applications as much control over physical resources as possible
- To force as few abstraction as possible on developers, enabling them to make as many decisions as possible about hardware abstractions.
 - Let the kernel allocate the basic physical resources of the machine
 - Let each program decide what to do with these resources
- Exokernel separate protection from management
 - They protect resources but delegate management to application




Exokernel

 Exokernel give more direct access to the hardware, thus removing most abstractions



















Comparison



1891 RES

Tracing

- Collects data for a specific event, such as steps involved in a system call invocation
- Tools include
 - strace trace system calls invoked by a process
 - gdb source-level debugger
 - perf collection of Linux performance tools
 - tcpdump collects network packets



Strace

```
os@os:~/os2018fall/code/1_cpu$ strace ./cpu 'A'
execve("./cpu", ["./cpu", "A"], [/* 32 vars */]) = 0
```

HW2 is out!